

# HL

HL sorgt für den guten Ablauf  
[www.hl.at](http://www.hl.at)



HL90Prblue-3020 0,43 l/s, DN 40/50



HL90Prblue-3020



HL03020.1E



HL090.5EKK



HL03020.2E



PP




HL01067D

HL90K-3020



HL03020.0E



DE BODENABLAUF  
IT SCARICO A PAVIMENTO  
EN FLOOR DRAIN

TR YER SÜZGECİ  
CZ/SK PODLAHOVÁ VPUST  
HR PODNI ODVOD

HU PADLÓLEFOLYÓ  
PL WPUST PODŁOGOWY  
SI TALNI ODTOK

RO SIFON DE PARDOSEALĂ  
RU ТРАП  
BG подов сифон

HL HUTTERER + LECHNER GMBH  
BRAUHAUSGASSE 3 - 5  
A-2325 HIMBERG

INTERNATIONAL SERVICE:  
E-MAIL: [support@hl.at](mailto:support@hl.at)  
SERVICE HOTLINE: +43 2235 87748

## Montage ohne Abdichtung/ Installation without sealing


1.




2.




3.




4.



5.



6.



# Montage mit Abdichtung Installation with sealing


Optional HL83.M




1.




2.



3.



4.




5.




6.



7.



8.




	Nicht kleben Do not glue nem ragasztatô	yapıştırılmaz неклеиваемый не се залепва	Nem ragasztható nelepít nie klejać	ni za lepljenje non incollabile nije za ljepljenje
	Nicht schweißen Do not weld nem hegeszhetô	kaynatılmaz несвариваемый не се заварява	Nem hegeszthető nesvařovat nie zgrzewać	ni za varjenje non saldabile nije za varenje
	Temperaturbeständigkeit Resistente a temperature Temperature resistant	Isıya dayanıklılık Teploıt odolnosti Otpor na temperaturu	Hőállóság Odporność termiczna Temperaturna obstojnost	Rezistent la temperatură не более темпер. устойчивост
	Bauschutz Coperchio di protezione Protective cover	Yapı Koruması Stavební zátka Zaštitni poklopac	Védfedél Osłonnia montazowa budowlana Vgradna zaščita	Capac de protecție Монтажная заглушка Монтажен капак
	Schneiden Tagliare Cut	Kesin Řezat Sečenje	Vágható Ciąć Rezati	Täiere Пилить Рязане
	Folie abziehen Togliere pellicola Remove membrane	Folyeyi çıkarın Folię sejmout Skinuti foliju	Fóliázás Folię zdjąć Sneti folijo	Indeaparte folie Снять защитную пленку Премахнете фолиото
	Bodenablauf Scarico a pavimento Floor drain	Yer Süzgeci Podlahová vpust Podni sливник	Padlószifon Wpusz podłogowy Talni sifon	Sifon de pardoseală Трап Подов сифон
	Reinigung Pulitura Cleaning	Temizlik Čištění Čišćenje	Tisztítás Oczyśćć Cišćenje	Curățare Очистить Почистване
	Isolierfähig Idoneo per impermeabilizzare Compatible with isolation	İzole edilebilir Kizolováni Moguće izoliranje	Szigetelhető képesség Možliwość izolacji Izolacijska sposobnost	Compatibil cu hidroizolatie Гидроизоляция Възможност за изолиране
	Dichtung nicht verwenden Non applicare il sigillante Don't use sealing	O-Halka contayı kullanmayınız Bez těsnění Ukloniti brtvu	Tömítést ne alkalmazza Nie zakładać uszczelki o-ring Tesnilo ne uporabiti	Nu utilizati O-ringul de etansare Не устанавливайте уплотнительное кольцо O-ринг не се поставя

## Zubehör/ Accessories



HL83.M

## Reinigung/ Cleaning



1.



2.



3.